




# DOMEMOBILE ASSEMBLY



## Step 1

Assemble the base of the Dome Mobile. Take the U shaped base legs (1 and 2) and set them perpendicular to each other. The one marked 1 has a depression and goes below 2. Put the Big Bolt through the hole in the middle and tighten the nut onto it.



## Step 2

Take the two straight long metal strips (3 and 4) and attach them to the base. To attach the strips use the casters and the nuts included.

To attach the strip (3) pass the caster bolt through the small leg of the U piece (2), then through the strip (3) and tighten with the long nut. The depression of 3 should face towards the bottom of the stand / towards the floor.

Similarly, attach the strip (4)

Put the big bolt through 3 and 4 and tighten the nut.

### Step 3

Attach the 4 L-shaped legs pieces (5) to the holes on top of the U shaped piece (3 and 4). Keep the nuts loose.



### Step 5

Attach the ring (6) to the top of the 4 L-shaped legs. Tighten the cap nuts.



### Step 4

Attach the protective clips to the side of each leg.



### Step 6

Tighten all the nuts and bolts.



## LIFTING THE GRILL DOME INTO A DOMEMOBILE

- Remove all internal parts in order to make the unit lighter to lift.
- DO NOT lift from the lid as that will put the weight on the hinge and could damage it permanently.
- DO NOT try to lift the Grill Dome by yourself. You will need at least two people to lift the Grill Dome.

<p>1) Set the GRILL DOME directly in front of the Domemobile</p>	
<p>2) To lift the Grill Dome, grab from the inside around the rim of the base.</p> <p>Be cautious when lifting as the lid will tend to tilt back because of the weight.</p>	
<p>3) Once you have placed the Grill Dome inside the Domemobile, slide the clips into place to firm the position.</p>	